

Fig. 1

FIG. 2








Fig. 2

310 320



311




321




322



331




300




332


region boundary




352




351



341



340



350

FIG. 3

400

context server table

context server name	version	installation date	filename	request handler
gps	1	2/10/2000	gps.exe	(reference)
ips	1	2/21/2000	ips.exe	(reference)
location region analysis	1	2/10/2000	l r a.exe	(reference)

401

402

403

411

412

413

414

415

FIG 4

500

attribute instance table

attribute name	context server name	value	uncertainty	timestamp	units	number of context clients consuming
user.location	gps	47° 38.73' N, 122° 18.43' W	0° .09'	13:11:04.023 2/22/2000	degrees/minutes	2
user.location	ips	47° 38.745' N, 122° 18.424' W	0° .021'	13:11:01.118 2/22/2000	degrees/minutes	2
user.elevation	ips	22	.5	13:11:01.118 2/22/2000	meters	1
user.in_region	location_region_analysis	none	none	none	none	0

501

502

503

504

511

512

513

514

515

516

517

FIG 5

600

context client table

location_map	context client name	message handler
601	(reference)	
602	(reference)	
603	(reference)	

611

FIG 6

700

attribute instance table

attribute name	context server name	value	uncertainty	timestamp	units	number of context clients consuming
701 user.location	gps	47° 38.73' N, 122° 18.43' W	0° 09'	13:11:04.023 2/22/2000	degrees/minutes	2
702 user.location	ips	47° 38.745' N, 122° 18.424' W	0° 021'	13:11:01.118 2/22/2000	degrees/minutes	2
703 user.elevation	ips	22	.5	13:11:01.118 2/22/2000	meters	1
704 user.in_region	location_region_analysis	none	none	none	none	1

FIG 7




FIG 8

900

attribute instance table

attribute name	context server name	value	uncertainty	timestamp	units	number of context clients consuming
user.location	gps	47° 38.73' N, 122° 18.43' W	0° 09'	13:11:04.023 2/22/2000	degrees/minutes	2
user.location	ips	47° 38.745' N, 122° 18.424' W	0° 021'	13:11:01.118 2/22/2000	degrees/minutes	2
user.elevation	ips	22.25	.5	13:11:06.565 2/22/2000	meters	1
user.in region	region analysis	none	none	none	none	1

901
902
903
904

917

916

915

914

913

912

911

FIG 9

1000

condition table

condition name	context client name	first logical parameter	second logical parameter	comparison value	logical operator
in region true	region analysis	user.in region	none	TRUE	=

1001

1012

1013

1014

1015

1016

FIG 10

T04230" T8246360

condition monitor table

condition monitor name	context client name	condition name	behavior	frequency	condition last evaluated	trigger handler reference	stopped
region_boundaries_crossed	region_analyses	in_region_true	TRUE or FALSE	30	13:11:29.101 2/22/2000	(reference)	no

FIG 11

condition monitor table

condition monitor name	context client name	condition name	behavior	frequency	condition last evaluated	trigger handler reference	stopped
region_boundaries_crossed	region_analyses	in_region_true	TRUE or FALSE	30	13:11:59.101 2/22/2000	(reference)	yes

FIG 12




FIG. 13

attribute request table

attribute name	context client name
user.location	distance_from_home
user.in_region	location_map
user.location [gps]	location_region_analysis
user.elevation	location_map

1401 ~
1402 ~
1403 ~
1404 ~

1411

Figure 14

1412

FDL290" T8246860

User.

Desired_privacy_level
 Interruptibility
 Speed
 Direction
 Acceleration
 Availability.
 Cognitive_availability
 Tactile_availability
 Manual_availability
 Visual_availability
 Oral_availability
 Auditory_availability
 Proximity.<Item or place name>
 Mood.

Happiness
 Sadness
 Anger
 Frustration
 Confusion

Activity.

Driving
 Eating
 Running
 Sleeping
 Talking
 Typing
 Walking

Location.

Place_name
 Latitude
 Longitude
 Altitude
 Room
 Floor
 Building
 Address
 Street
 City
 County
 State
 Country
 Postal_Code

Destination. (same as User.Location.)

Physiology.

Pulse
 Body_temperature
 Blood_pressure
 Respiration

Person.<name or ID>. (same as User.)

Platform.**UI.**

Oral_input_device_availability
 Manual_input_device_availability
 Tactile_output_device_availability
 Visual_output_device_availability
 Auditory_output_device_availability

Platform. (continued)**CPU.**

Load
 Speed

Memory.

Total_capacity
 Used

Storage.

Total_capacity
 Used

Connectivity.

Connection_status
 Connection_speed
 Connection_type/device
 Connection_activity

Power.

Power_source
 Power_level

Environment.**People.**

Nearest
 Number_present
 Number_close

Local.

Time
 Date
 Temperature
 Pressure
 Wind_speed
 Wind_direction
 Absolute_humidity
 High_forecast_temperature
 Low_forecast_temperature
 People_present
 Ambient_noise_level
 Ambient_light_level
 Days.<previous or future>.
 High_temperature
 Low_temperature
 Precipitation_type
 Precipitation_amount

Place.<place name>. (same as Environment.Local)

Application.**Mail.**

Available
 New_messages_waiting
 Messages_waiting_to_be_sent

Phone.

Available
 In_use
 On/off
 Notification_mechanism
 Call_incoming
 Caller_ID

Sound_recorder.


Available
 Recording

Fig. 15

- 1) User Setting
 - a) Mental Context
 - i) Meaning
 - ii) Cognition
 - (1) Divided User Attention
 - (2) Task Switching
 - (3) Background Awareness
 - iii) Solitude
 - iv) Privacy
 - (1) Desired Privacy
 - (2) Perceived Privacy
 - v) Social Context
 - vi) Affect
 - b) Physical Situation
 - i) Body
 - (1) Biometrics
 - (2) Posture
 - (3) Motion
 - (4) Physical Encumberment
 - (a) Senses
 - (i) Eyes
 - (ii) Ears
 - (iii) Tactile
 - (iv) Hands
 - (v) Nose
 - (vi) Tongue
 - (b) Workload demands/effects
 - (c) Interaction with computer devices
 - (d) Interaction with people
 - (e) Physical Health
 - ii) Environment
 - (1) Time/Space
 - (2) Objects
 - (3) Persons
 - (a) Audience/Privacy Availability
 - (i) Scope of Disclosure
 - (ii) Hardware affinity for privacy
 - (iii) Privacy Indicator for User
 - (iv) Privacy Indicator for Public
 - (v) Watching Indicator
 - (vi) Being Observed Indicator
 - (4) Ambient Interference
 - (a) Visual
 - (b) Audio
 - (c) Tactile
- 2) Computer
 - a) Power
 - b) Configuration
 - i) User Input Systems
 - (1) Hand/Haptic
 - (a) Keyboard/Keystrokes
 - (2) Voice/Audio
 - (3) Eye Tracking
 - (4) Cursors
 - (a) Axis
 - (b) Resolution
 - (i) Selection
 - (ii) Invocation
 - (c) Accelerators
 - ii) Output Systems
 - (1) Visual
 - (a) Resolution
 - (2) Audio
 - (a) Public/Private
 - (3) Haptic
 - iii) External Resources
 - (1) I/O devices
 - (2) Connectivity
 - c) Data
 - i) Quantity/State
 - ii) Urgency/Importance
 - (1) Use of Prominence
 - iii) Modality
 - iv) Sensitivity/Purpose
 - (1) Privacy Issues
 - (2) Use of Association
 - (3) Use of Safety
 - v) Source/Ownership
 - (1) Types
 - (a) User generated
 - (b) Other computers or people
 - (c) Sensor
 - (d) PC State
 - (2) Use of Association

Fig. 16

Fig. 17



202501052701

Notification Processing Subroutine 1725

Fig. 18

1805
Receive indication of received message or user indication

1810
Compare received message or user indication to the stored active notification requests

1815
Retrieve additional information if needed to determine if any stored active notification requests are satisfied

1820
Satisfied notification requests?

No

Yes

1825
Select next request

1830
Send notification to supplier of the request that it was satisfied

1835
Remove notification request?

Yes

1840
Remove request

No

1845
Deactivate notification request?

Yes

1850
Deactivate request

No

1855
More?


Yes

No

1875
RETURN

Fig. 19

Dynamically Specify Available
Clients, Servers, & Attributes
Subroutine



Process Distributed CM Message Subroutine

1765

Fig. 20
































Fig. 21





2225






Fig. 24









Fig. 27

FIG. 27



Context Server Routine 2800

Fig. 28

